


P 64 CP



P 64 2G CP



P64-2G-CP-BLK



P 64 P URC



Cat. No.	Description	Features
P 64 CP	Single gang carpet plate	Brass
P 64 2G CP	Two gang carpet plate	
P 64 3G CP	Three gang carpet plate	
P 64 P URC BGE	Universal cover plate	Polycarbonate - beige
P 64 P URC BLK		Polycarbonate - black
P 64 P URC GRY		Polycarbonate - grey
P64P-CP-BLK	Single gang carpet plate	Polycarbonate - black
P64P-CP-GRY		Polycarbonate - grey
P64P-2G-CP-BGE	Two gang carpet plate	Polycarbonate - beige
P64P-2G-CP-BLK		Polycarbonate - black
P64P-2G-CP-GRY		Polycarbonate - grey
P64P-3G-CP-BLK	Three gang carpet plate	Polycarbonate - black
P64P-3G-CP-GRY		Polycarbonate - grey

Square Flush Cover Plates

Steel City®



P 64 1/2

1/2 in. N.P.S. plug



P 64 3/4

3/4 in. N.P.S. plug



P 64 1

1 in. N.P.S. plug



P 64 1 1/4

1-1/4 in. N.P.S. plug



P 64 2*

2 in. dia. plug



P 64 1/2 2*

1/2 in. - 2 in. dia. plug




P 64 3/4 2*

3/4 in. - 2 in. dia. plug



P 64 2 5/8*

2-5/8 in. dia. plug





P 64 DS*

Duplex lift lids



P 64 DU*

Duplex 1-7/16 in. plug




P64-GFCI

*Also includes sealing plate




Cat. No.	Description	Features	Conduit Tapping
P 64 1/2	Cover plate	Brass	1/2 NPS plug
P 64 3/4			3/4 NPS plug
P 64 1			1 NPS plug
P 64 1 1/4			1-1/4 NPS plug
P 64 2			2 UN plug
P 64 2 5/8			2-5/8 UN plug
P 64 1/2 2			2 UN plug with 1/2 option
P 64 3/4 2			2 UN plug with 3/4 option
P 64 DU			Duplex
P 64 DS			Duplex
P64-GFCI			GFCI

All covers meet mop tight requirements.



P 64 GFCI



P 64 3/4 2*

3/4 in. - 2 in. dia. plug



P-64-2-5/8*

2-5/8 in. dia. plug




P 64 DS*

Duplex lift lids



P 64 DU*

Duplex 1-7/16 in. plug



P 64-GFCI

GFCI flip lid




P 64 1/2

1/2 in. N.P.S. plug




P 64 3/4

3/4 in. N.P.S. plug




P 64 1

1 in. N.P.S. plug




P 64 1 1/4

1-1/4 in. N.P.S. plug



P 64 2*

2 in. dia. plug



P 64 1/2 2*

1/2 in. - 2 in. dia. plug

*Also includes sealing plate



Cat. No.	Description	Features	Plug Opening	Size (in.)	
				Height	Width
P 64 1/2	Cover plate	Brass	1/2 in. NPS plug	3	4-1/2
P 64 3/4			3/4 in. NPS plug		
P 64 3/4 AL		Aluminum	1 in. NPS plug		
P 64 1		Brass			
P 64 1 AL		Aluminum	1-1/4 in. NPS plug		
P 64 1 1/4		Brass			
P 64 1 1/4 AL		Aluminum	2 in. UN plug		
P 64 2		Brass			
P 64 2 AL		Aluminum	2-5/8 in. UN plug		
P 64 2 5/8		Brass	2 in. UN plug with 1/2 in. option		
P 64 1/2 2		Aluminum			
P 64 1/2 2 AL		Brass	2 in. UN plug with 3/4 in. option		
P 64 3/4 2		Aluminum			
P 64 3/4 2 AL		Brass	Duplex		
P 64 DU		Aluminum			
P 64 DU AL		Brass	GFCI		
P 64 DS		Aluminum			
P64-GFCI		Brass			

All covers meet mop tight requirements.